NUPLA

SURFACE-PROTECTIVE HAMMERS

THE HAMMER LINE THAT OBSOLETES ALL OTHERS COMBINED!

BROWN TOOL CO.
4548 Milwaukee Avenue
MUlberry 5-1345
CHICAGO 30, ILL.

RP.

<NUPLA>

Anticipating the requirements of industry

SUPER HOLDERS

<NUPLA> Superholder

ALL THAT THE NAME IMPLIES — IN DESIGN AND DEPENDABILITY

12 SUPER FEATURES

1 NON-STRIP THREADS CUSH-N-LOK ®
Steel floating nut eliminates stripped threads. (Pat. Pend.)

2 FIBREGLASS SHAFT NUPLAGLAS ®
Parallel glass fibres reinforced with Polyester resin eliminates broken handles.

3 CUSHION GRIP NUPLAGRIP ®
Permanent grip that will not slip — stops hammer sting.

4 PERMANENT BOND NUPLABOND ®
Guarantees handle and head will never come loose for the life of the tool.

5 INSULATED HANDLE
Shaft and grip are non-conductors of electricity.

6 PERFECTLY BALANCED
Assures maximum control.

7 SHOCK ABSORBING
Eliminates transfer of shock to hand.

8 NUPLOK (Pat. Pend.)
Locking device prevents tip from working loose.

9 SAFETY TOOL
Designed with safety foremost in mind.

10 SUPER IMPAX
(Shot Loaded)
Available in 7 popular sizes

11 24 SELECTIONS
Any size — any weight
From 5 oz. to 20 lbs.

12 LIFETIME GUARANTEE
Superholders are unconditionally guaranteed against handle breakage and stripped threads.

<NUPLA> Superholder PART NUMBERS PRINTED IN BLUE THROUGHOUT CATALOG

"The Hammer Line That Obsoletes All Others Combined!"

NUPLAFLEX TIPS

STANDARD ROUND

Anticipating the requirements of industry

NUPLAFLEX FACES ARE REPLACEABLE
AND INTERCHANGEABLE WITHIN EACH SERIES

EIGHT DIFFERENT HARDNESSES

1" SERIES

FITS ALL 1" HOLDERS

COLOR	GREY	BROWN	RED	GREEN	CREAM	ORANGE	BLACK	YELLOW
CODE	SS	S	M	T	N	BH	H	XH
HARDNESS	SUPER SOFT	SOFT	MEDIUM	TOUGH	MEDIUM HARD	NEAR HARD	HARD	EXTRA HARD
PART NO.	10SS	10S	10M	10T	10N	10BH	10H	10XH

1½" SERIES

FITS ALL 1½" HOLDERS

COLOR	GREY	BROWN	RED	GREEN	CREAM	ORANGE	BLACK	YELLOW
CODE	SS	S	M	T	N	BH	H	XH
HARDNESS	SUPER SOFT	SOFT	MEDIUM	TOUGH	MEDIUM HARD	NEAR HARD	HARD	EXTRA HARD
PART NO.	15SS	15S	15M	15T	15N	15BH	15H	15XH

2" SERIES

FITS ALL 2" HOLDERS

COLOR	GREY	BROWN	RED	GREEN	CREAM	ORANGE	BLACK	YELLOW
CODE	SS	S	M	T	N	BH	H	XH
HARDNESS	SUPER SOFT	SOFT	MEDIUM	TOUGH	MEDIUM HARD	NEAR HARD	HARD	EXTRA HARD
PART NO.	20SS	20S	20M	20T	20N	20BH	20H	20XH

2½" SERIES

FITS ALL 2½" HOLDERS

COLOR	GREY	BROWN	RED	GREEN	CREAM	ORANGE	BLACK	YELLOW
CODE	SS	S	M	T	N	BH	H	XH
HARDNESS	SUPER SOFT	SOFT	MEDIUM	TOUGH	MEDIUM HARD	NEAR HARD	HARD	EXTRA HARD
PART NO.	25SS	25S	25M	25T	25N	25BH	25H	25XH

3" SERIES

FITS ALL 3" HOLDERS

COLOR	GREY	BROWN	RED	GREEN	CREAM	ORANGE	BLACK	YELLOW
CODE	SS	S	M	T	N	BH	H	XH
HARDNESS	SUPER SOFT	SOFT	MEDIUM	TOUGH	MEDIUM HARD	NEAR HARD	HARD	EXTRA HARD
PART NO.	30SS	30S	30M	30T	30N	30BH	30H	30XH

4" SERIES

FITS ALL 4" HOLDERS

COLOR	GREY	BROWN	RED	GREEN	CREAM	ORANGE	BLACK	YELLOW
CODE	SS	S	M	T	N	BH	H	XH
HARDNESS	SUPER SOFT	SOFT	MEDIUM	TOUGH	MEDIUM HARD	NEAR HARD	HARD	EXTRA HARD
PART NO.	40SS	40S	40M	40T	40N	40BH	40H	40XH

"The Hammer Line That Obsoletes All Others Combined!"

NUPLA HAMMERS

ORDERING INFORMATION

Anticipating the requirements of industry

NUPLA HOLDERS Replaceable and interchangeable screw-in type tips. Available in two styles, Regular and Superholder, in every size and weight from a 5 oz. hammer to a 20 lb. sledge. Uses tips having same face diam.



SUPERHOLDERS All that the name implies in design and dependability . . . with NUPLAGLAS handles (indestructible fiber glass handles with slip-proof sting-proof cushion grips), and non-strip threads.



SUPER IMPAX HOLDERS with controlled "stay-put" dead-blow, produce 30% more driving power with specially designed shot-loaded head.



STANDARD HOLDERS equipped with the finest grade hickory handles. Does not include cushion grips and non-strip threads.

IMPAX HOLDERS with controlled "stay-put" dead-blow, produce 30% more driving power with specially designed shot-loaded head.

SUPERHOLDERS

SUPERHOLDERS	SPECIFICATIONS INCLUDING TIPS		
Holder Part No.	Face Dia.	Head Length	Nominal Weight
S100	1"	3½"	6 oz.
S105	1"	3½"	9 oz.
S150	1½"	4⅜"	¾ lb.
S153	1½"	7"	1¼ lb.
S155	1½"	4⅜"	1¼ lb.
S158	1½"	5½"	2 lb.
S200	2"	5"	1¼ lb.
S205	2"	5"	2 lb.
S207	2"	6⅜"	3¼ lb.
S208	2"	7"	4 lb.
S250	2½"	6¼"	2½ lb.
S255	2½"	6½"	4 lb.
S300	3"	7"	3½ lb.
S305	3"	7"	6½ lb.
SUPER SLEDGES			
S307	3"	7⅞"	8 lb.
S308	3"	9"	10¼ lb.
SUPER IMPAX HOLDERS			
S152	1½"	5⅜"	1 lb.
S154	1½"	6½"	1½ lb.
S202	2"	7"	2½ lb.
S204	2"	9"	3½ lb.
S304	3"	7¾"	5½ lb.
SUPER IMPAX SLEDGES			
S306	3"	9¾"	9 lb.
S402	4"	9½"	16 lb.
S404	4"	11½"	20 lb.

STANDARD HOLDERS	SPECIFICATIONS INCLUDING TIP		
Holder Part No.	Face Dia.	Head Length	Nominal Weight
100	1"	3½"	6 oz.
105	1"	3½"	9 oz.
150	1½"	4⅜"	¾ lb.
153	1½"	7"	1¼ lb.
155	1½"	4⅜"	1¼ lb.
158	1½"	5½"	2 lb.
200	2"	5"	1¼ lb.
205	2"	5"	2 lb.
207	2"	6⅜"	3¼ lb.
208	2"	7"	4 lb.
250	2½"	6¼"	2½ lb.
255	2½"	6½"	4 lb.
300	3"	7"	3½ lb.
305	3"	7"	6½ lb.
SLEDGES			
307	3"	7⅞"	8 lb.
308	3"	9"	10¼ lb.
IMPAX HOLDERS			
152	1½"	5⅜"	1 lb.
154	1½"	6½"	1½ lb.
202	2"	7"	2½ lb.
204	2"	9"	3½ lb.
304	3"	7¾"	5½ lb.
IMPAX SLEDGES			
306	3"	9¾"	9 lb.
402	4"	9½"	16 lb.
404	4"	11½	20 lb.

TO ORDER: A NUPLA hammer or sledge consists of three separate units . . . the holder and two tips. Order holder and tips separately. Specify holder desired by "Holder Part Number." (See tip section for tip selection).

NUPLAFLEX (SCREW-IN TYPE) TIPS

Long lasting NUPLAFLEX replaceable and interchangeable by hand, available in eight color-coded hardnesses and five shapes. Hardnesses range from the softness of sponge rubber to the hardness of copper. Will not gash, mushroom, or lose shape, will not mark or mar polished or painted surfaces.

TO ORDER: Specify part number of tip having same face diameter as holder, adding to tip part number the letter indicating hardness desired (i.e., Hard Tip for #152 Holder 15H). If shaped tips are desired, add letter indicating tip shape (i.e., Dome 15 HD).

RESPECTIVE HARDNESSES by hardness, ordering letter, and color.

SS—Super Soft, Gray
S—Soft, Brown
M—Medium, Red
T—Tough, Green
N—Medium Hard (Nylon) Cream
BH—Near Hard, Orange
H—Hard, Black
XH—Extra Hard, Yellow



HARDNESS	STANDARD ROUND SHAPE TIPS						
TIP NO. PART	FOR HOLDER NUMBER						DIAMETER FACE
10	100,	105					1"
15	150,	152,	153,	154,	155,	158	1½"
20	200,	202,	204,	205,	207,	208	2"
25	250,	255,					2½"
30	300,	304,	305,	306,	307,	308	3"
40	402,	404					4"
	D — DOME SHAPE TIPS						
15	150,	152,	153,	154,	155,	158	1½"
20	200,	202,	204,	205,	207,	208	2"
	C — WEDGE (CROSS-PEEN) SHAPE TIPS						
15	150,	152,	153,	154,	155,	158	1½"
20	200,	202,	204,	205,	207,	208	2"
	K — CONICAL SHAPE TIPS						
15	150,	152,	153,	154,	155,	158	1½"
20	200,	202.	204,	205,	207,	208	2"
	Q — SQUARE SHAPE TIP						
15	150,	152,	153,	154,	155,	158	1½"
20	200,	202,	204,	205,	207,	208	2"

NUPLA MANUFACTURING COMPANY
Division of New Plastic Corporation
1026 North Sycamore Los Angeles 38, California

DISTRIBUTED BY: